


Dell monitors for every workspace

The world's # 1 monitor company*



DELLTechnologies

*Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2023



Dell monitors overview

Find the right solutions for your business needs with Dell's expansive range of monitors, that offer incredible collaboration, reliability and screen performance.



UltraSharp monitors

Innovative monitors delivering ultimate screen performance and user experience.



Video Conferencing monitors

Purpose-built monitors for collaboration at home, or in the office.



P Series monitors

Reliable monitors packed with productivity-enhancing features for driving business efficiency.



E Series monitors

Affordable monitors with essential features for everyday use.



Large Format monitors

Captivating Large Format monitors that provide brilliant 4K resolutions and advanced digital whiteboarding technology.

[Sustainability](#)[Warranty & Support](#)[Accessories](#)



Industry-leading innovation

Dell continues to lead the way with monitors that deliver superior technology, reliability and sustainability.




Industry-leading

As the #1 monitor company worldwide¹, Dell brings the best display technologies to customers – from the ultimate in resolution, contrast and color, to unmatched usability and reliability.



Reliable

Enjoy peace of mind with the commitment to quality, reliability and service that you expect from Dell, backed by our 3-year Advanced Exchange Service and Premium Panel Exchange.



Designed for productivity

Dell monitors are designed to enhance productivity with multitasking and comfort features, larger screen sizes, and future-proof connectivity.



Environmentally forward-thinking

Dell Technologies has the industry's widest portfolio of Display product types that have achieved the EPEAT Climate+ designation². What's more, select Dell monitors use 85% PCR (Post Consumer Recyclable) plastic, 50% recycled steel, 100% recycled aluminum³ and at least 20% recycled glass⁴.

¹ Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2023

² Based on EPEAT Climate+ Designations achieved in all applicable countries. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status and tier levels by country. Data as available in October 2023.


³ Based on internal analysis, November 2023. Plastic percentage is based on total plastic weight. Recycled steel: 50% recycled steel in monitor bracket. Recycled aluminum: 100% recycled aluminum in monitor stand.

⁴ Applicable to all new monitors launching in CY 2024. Recycled glass is present in monitor panel. Based on internal analysis, January 2024.



Innovative technology for optimal eye comfort

Enjoy enhanced eye comfort with Dell ComfortView Plus, the always-on, low blue light hardware solution that reduces blue light emissions without compromising color accuracy.



Excellent color accuracy

ComfortView Plus does not cause a visible change in color, so color accuracy is retained.



Eye comfort

Eye comfort optimization built in, and ready to work out of the box.



Certified

TÜV Rhienland certified, ensuring standards for low blue light emission are met.



Improved ComfortView Plus

Select monitors with improved ComfortView Plus reduces even more harmful blue light for enhanced visual comfort.




Software low blue light

ComfortView Plus



Smooth visuals and comfortable viewing experience

Having set the bar high for refresh rate, we decreased motion blur and flicker with a higher 120Hz refresh rate, improving the overall Dell monitors user experience.



Smoother Motion

120Hz display images at twice the rate of 60Hz monitor, providing a smoother and more fluid monition for crucial tasks such as video editing or 3D modeling.



Reduced Motion Blur

Higher refresh rates help reduce motion blur, making it easier to see details in moving objects, animation, simulations or CAS models.



Improved responsiveness

Higher refresh rate can reduce input lag and provide a more responsive experience when interacting with design softwares or simulations.




Reduced eye strain

Higher refresh rate can reduce flicker and minimize eye strain, providing for a more comfortable and productive work experience.



Display brightness that adapts to you

Lifelike, natural color tones control, maximum accuracy and optimal eye comfort are now possible thanks to Ambient Light Sensing with adaptive brightness.



Lifelike colors

Detects the ambient lighting condition with built-in ALS and adjusts the screen brightness and color tone setting.



Optimal eye comfort

Intelligently adjusts to optimal brightness level and color tone, ensuring optimal eye comfort and protecting from eye strain.



Adapts to you

Defines brightness and color tone control behavior (response time, sensitivity), ensuring excellent user experience.



Incredible color accuracy meets exceptional contrast

Dell UltraSharp monitors with IPS Black technology offer professional-standard color fidelity with a superior contrast ratio, especially at wide viewing angles.



Up to **41% deeper blacks** than conventional IPS



Up to **1.4x color accuracy** than VA displays, and **1.2x more** than conventional IPS.

Delivering deeper blacks and better contrast, as well as exceptional color accuracy, IPS Black is ideal for users working in the creative industries who need excellent color fidelity, and the ability to distinguish objects in dark images. Superior color coverage and contrast at wide viewing angles make Dell monitors with IPS Black the perfect choice for professionals who need a multi-monitor setup.

Up to **4x higher** contrast at a **45° viewing angle** than VA and Up to **41% deeper blacks** than conventional IPS*

* Dell 31.5" U3223QE, Dell 31.5" U3223QZ and Dell 27" U2723QE with IPS Black panel provides up to 4x higher contrast ratio at 45° horizontal viewing angle and up to 60% deeper blacks at 45° horizontal viewing angle vs a 31.5" competitive monitor with a VA panel. Feature availability may vary by model, please refer to the product page on Dell.com for more information.



Thunderbolt and USB-C connectivity technology

Extensive connectivity for a future-ready setup

Create a hub for productivity with the advanced connectivity options of Dell monitors.



TYPE	AVAILABLE BEFORE	WHAT'S NEW IN 2023?*	BENEFITS
USB-C	Thunderbolt™ 3 40Gbps bidirectional bandwidth 90W Power delivery	Thunderbolt™ 4 40Gbps bidirectional bandwidth 140W power delivery	- Higher speed data transfer, outputs a video signal and delivers power to compatible devices – all powered by one port - Supports up to two 6K monitors through daisy chaining
DP	DisplayPort 1.4 32.4Gbps (max.) bandwidth - Display stream compression (DSC)	DisplayPort 2.1 - Support ultra-high bit rate of 13.5 that delivers 54Gbps (max) bandwidth - Display stream compression (DSC)	- Higher bandwidth supports higher video resolutions and refresh rates - DSC allows high-resolution without impacting refresh rates, keeping details during the compression
HDMI	HDMI 2.0 4K UHD @ 60Hz	HDMI 2.1 6K @ 60Hz	Supports higher display resolution of up to 6K at 60Hz refresh rate
RJ-45	RJ-45 1Gbps wired network speed	Enhanced RJ-45 2.5Gbps wired network speed - RJ-45 lock	- Higher network speed that ensures maximum productivity for users - Wake on LAN, MAC Address pass-through, PXE Boot, and RJ-45 lock – making managing IT devices easier for IT managers
USB	USB 3.1 Gen 2 10 Gbps bandwidth	No change	- High-speed USB ports on monitors allow them to serve as USB hubs for laptops. - Dell offers the most number of high speed USB 10Gbps ports in the monitor portfolio (up to 7: 5 USB-A and 2 USB-C)




* Features set to release for U3224KB/ U3224KBA and select Dell monitors in 2023. Official RTS date may differ by region. Product availability may vary by country, please refer to the product page on Dell.com for more information.



Dell Display Manager


[Learn More](#)

Basic Feature:




Easily adjust the basic settings of your monitor with Dell Display Manager, including brightness, contrast and resolution, and synchronize settings across multiple monitors using the Display Matrix Control feature.

Easy Arrange & Easy Arrange Memory:




Partition your monitor screen to view multiple apps at the same time with Easy Arrange, and save and restore your favourite layouts with the Easy Arrange Memory feature.

KVM:




Set up your monitor, mouse and keyboard to work seamlessly between multiple PC using the convenient and intuitive KVM wizard.

PowerNap:



Use PowerNap to reduce the brightness of the monitor or put the monitor to sleep when the screensaver is activated and see a reduction in power consumption of up to 14.8%*

SCCM/InTune/Command Line Interface:



Easily maintain your device fleet by deploying and querying firmware updates using Command Line Interface commands or built-in PowerShell scripts for SCCM and InTune.


If you are a MacOS user, please use Dell Display and Peripheral Manager. [Learn more](#)

* The calculation assumes the monitor is used for 10 hours a day, including 1.5 hours of idle time with display in sleep mode when the device screensaver is on. Based on internal analysis, May 2023.
Feature availability may vary by model, please refer to the product page on Dell.com for more information.



Designing with accessibility in mind

Users working from different heights can always work at their best on Dell Large Format monitors thanks to Dell Screen Drop* – the world’s first accessibility feature.



Comfort of use


Buttons located on either side of the display enable lowering displayed images to different height settings so it's within easy reach.




Accessible for all

Great for users working from different heights, like children and users with disabilities.

4 convenient height settings:




100%



66%



50%



33%

*Based on internal analysis, November 2018. Available on Dell large format monitors except P5524Q.



UltraSharp monitors

Take work to new heights with monitors that use groundbreaking technologies to deliver stunning visuals, unmatched connectivity and exceptional ease-of-use.



Discover incredible screen performance

Enjoy a superior front-of-screen experience with industry-leading panel technology that delivers incredible color coverage and sharp, lifelike images with up to 99.8% DCI-P3, IPS Black and up to 8K resolution.



Experience enhanced productivity

Power productivity with the range that offers the most extensive array of ports, the highest number of ultrawide monitors, and intelligent multi-tasking features.



Collaborate like you're there

Experience best-in-class collaboration with monitors built for teamwork, featuring premium optical and audio technology and intelligent features that enhance video conferencing.



UltraSharp PremierColor monitors

UltraSharp pushes the boundaries of monitor technology to deliver exceptional color performance that meets the demands of digital creators.



Dell UltraSharp 32 HDR Monitor - UP3221Q

- 31.5 inches/80.01 cm
- 4K resolution
- 2K mini-LED backlit
- Thunderbolt 3 (up to 90W power)
- Built in Calman Powered colorimeter
- Shading hood

[Learn More](#)



Dell UltraSharp 32 8K Monitor - UP3218K

- 31.5 inches/80.01 cm
- 8K resolution

[Learn More](#)



Dell UltraSharp 27 4K PremierColor Monitor - UP2720Q

- 27 inches/68.47 cm
- 4K resolution
- Thunderbolt 3 (up to 90W power)
- Built in Calman Powered colorimeter
- Shading hood

[Learn More](#)



	Dell UltraSharp 32 HDR Monitor - UP3221Q	Dell UltraSharp 32 8K Monitor - UP3218K	Dell UltraSharp 27 4K PremierColor Monitor - UP2720Q
VIEWABLE IMAGE SIZE	31.5 inches/80.01 cm	31.5 inches/80.01 cm	27 inches/68.47 cm
MAXIMUM RESOLUTION	4K (3840 x 2160), 60Hz	8K (7680 x 4320), 60Hz; 280 ppi	4K (3840 x 2160), 60Hz
ASPECT RATIO	16:9	16:9	16:9
PANEL TYPE, SURFACE	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare
COLOR GAMUT	CIE1931 Adobe RGB 93%, CIE1976 DCI-P3 99.8%, CIE1976 BT2020 83%	100% AdobeRGB, 100% sRGB, 100% Rec.709, 98% DCI-P3	CIE1931 Adobe RGB 100%, CIE DCI-P3 98%, CIE1976 BT.2020 80%
CONNECTIVITY	• 1 x DisplayPort 1.4 (HDCP 2.2) • 2 x HDMI 2.0 (HDCP 2.2) • 1 x Thunderbolt™ 3 upstream port (DisplayPort 1.4) Power Delivery up to 90W • 1 x Thunderbolt™ 3 downstream port (DisplayPort 1.4) Power Delivery up to 15W • 2 x SuperSpeed USB 5/10Gbps (USB 3.2 Gen 1/2) downstream port • 1 x External Colorimeter port (Does not support standard USB Devices)	• 2 x DisplayPort 1.4 • 1 x USB 3.0 port - Upstream • 4 x USB 3.0 ports - Bottom (including 1 x USB 3.0 BC1.2 charging port) • Audio line-out	• 1 x DisplayPort 1.4 (HDCP 2.2) • 2 x HDMI 2.0 (HDCP 2.2) • 1 x Thunderbolt™ 3 Upstream port (DisplayPort 1.4) • 1 x Thunderbolt™ 3 Downstream port (DisplayPort1.4) • 2 x USB 3.2 Gen 2 Downstream port • 2 x USB 3.2 Gen 1 Downstream port (1 x BC 1.2 charging capability at 2A) (max)
DESIGN FEATURES			
ADJUSTABILITY	Height-adjustability (up to 160 mm), swivel, tilt, pivot (clockwise and counter-clockwise)	Height-adjustable (up to 120 mm), swivel, tilt, pivot (clockwise and counter-clockwise)	Tilt only
OTHER	Calman® Powered built-in colorimeter, VESA Certified DisplayHDR™ 1000, Shading Hood included, Picture-by-Picture, Premium Panel Exchange	InfinityEdge, TÜV-Certified flicker-free screen with ComfortView®, Premium Panel Exchange	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible





A productivity powerhouse

Dell UltraSharp 32 6K Monitor - U3224KB

Be ultra-productive on the world's 1st 6K monitor that features IPS Black*, future-ready connectivity and built-in intelligent collaboration features.



Exceptional details and color

See your work come to life with 6K resolution and brilliant color and contrast thanks to IPS Black and 99% Display P-3 color space.



Unparalleled power and productivity

Designed to meet the demands of powerful devices, this hub monitor offers Thunderbolt™ 4 (up to 140W) single cable connectivity, industry-leading DisplayPort 2.1 and Auto KVM, enabling the user to work across two PCs.



Intelligent and secure collaboration

Collaborate effortlessly with a powerful, built-in 4k webcam, AI auto-framing and automatic SafeShutter for added security.



Dell UltraSharp 32 6K Monitor
- U3224KB

[Learn More](#)



*Based on Dell analysis of 6K (6144 x 3456) monitors, September 2022.
Product availability may vary by country, please refer to the product page on Dell.com for more information.



Video Conferencing monitors

UltraSharp pushes the boundaries of monitor technology to deliver exceptional color performance, meeting the demands of digital creators.



Dell UltraSharp 32 6K Monitor - U3224KB

- 31.5 inches/79.94 cm
- IPS Black panel
- 6K resolution
- 4K dual gain HDR webcam
- Thunderbolt 4 (up to 140W power)

[Learn More](#)



Dell UltraSharp 32 4K Video Conferencing Monitor - U3223QZ

- 31.5 inches/80.01 cm
- IPS Black panel
- 4K (3840 x 2160), 60Hz
- 4K HDR webcam
- USB-C Hub (up to 90W power)

[Learn More](#)



Product availability may vary by country, please refer to the product page on Dell.com for more information.

[Specifications summary](#)

Dell UltraSharp 32 6K Monitor - U3224KB		Dell UltraSharp 32 4K Video Conferencing Monitor - U3223QZ	
VIEWABLE IMAGE SIZE	31.5 inches/79.94 cm	31.5 inches/80.01 cm	
MAXIMUM RESOLUTION	Max res: 6K (6144 x 3456), 60Hz	4K (3140 x 2160), 60Hz	
ASPECT RATIO	16:9	16:9	
PANEL TYPE, SURFACE	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	
CONNECTIVITY	• 1 x Mini DP 2.1 (HDCP 2.2)(Supports up to 6K 6144 x 3456 60Hz 10bit, HDR) • 1 x HDMI (HDCP 2.2)(Supports up to 6K 6144 x 3456 60Hz 10bit FRL, HDR as per specified in HDMI 2.1) • 1 x Thunderbolt™ 4 upstream (EPR PD 140W) with DSC (Alternate mode with DisplayPort 1.4/1.2, USB 3.2 Gen 2 upstream port, Power Delivery up to 140W) • 1 x Thunderbolt™ 4 downstream (15W) for video output under daisy chain • 1 x USB-C PD3.1 (Extended Power Range 140W) • 4 x super speed USB 10Gbps (USB 3.2 Gen 2) • 1 x RJ45 (2.5G)	• 1 x DP 1.4 (HDCP 2.2) • 1 x HDMI 2.0 (HDCP 2.2) • 1 x USB Type-C (USB 3.2 Gen 2 upstream port) • 1 x USB Type-C (Alternate mode with DisplayPort 1.4/1.2, USB 3.2 Gen2 upstream port, Power Delivery up to 90W) • 1 x USB Type-C downstream (15 W), USB 3.2 Gen2 (10Gbps) • 1 x DP (out) with MST • 4 x super speed USB 10Gbps (USB 3.2 Gen2) • 1 x super speed USB 10Gbps (USB 3.2 Gen2) with BC 1.2 charging capability at 2 A (max) • 1 x 3.5 mm headphone jack • 1 x RJ45	
DESIGN FEATURES			
ADJUSTABILITY	Height-adjustable stand (up to 160 mm), tilt, swivel, and pivot	Height-adjustable stand (up to 150 mm), tilt, swivel, and pivot	






World's first 40" 5K monitor certified for 5-star eye comfort¹

Dell UltraSharp 40 Curved Thunderbolt™ Hub Monitor – U4025QW



Immersive view, exceptional screen performance

This impressive 40" 5K curved monitor features a 120Hz refresh rate for an expansive field of view with smooth and responsive visuals. See true-to-life color with 99% DCI-P3 / Display P3 color coverage and get a wide viewing angle with IPS Black panel technology that delivers deeper blacks with 2000:1 contrast ratio.



Productivity powerhouse

Experience fast connectivity and image transmission with a Thunderbolt 4 hub monitor that delivers up to 140W power delivery (PD) through a single cable. Internal Multi-Stream Transport (iMST) partitions your display as if there were two 2560x2160 monitors with no external software or DisplayPort splitter needed. New Network KVM feature on Dell Display Manager allows you to work across two PCs for improved productivity.



Enhanced eye comfort

Introducing the first 40" 5K monitor with TÜV Rheinland® 5-star eye comfort certification¹. Featuring improved ComfortView Plus to reduce blue light emission by over 35% and an ambient light sensor for automatic brightness and color adjustments. Enjoy smoother and sharper motion visuals with a 120Hz refresh rate.



NEW
Dell UltraSharp 40 Curved Thunderbolt™
Hub Monitor - U4025QW

[Learn More](#)





UltraSharp curved monitors

Curved monitors offer reduced eye movement across the screen for a more immersive experience.



**Dell UltraSharp 49 Curved
USB-C Hub Monitor - U4924DW**

- 49 inches/124.46 cm
- Curved IPS Black panel
- DQHD resolution
- Internal MST (iMST)
- USB-C Hub (up to 90W power)

[Learn More](#)



**NEW
Dell UltraSharp 40 Curved Thunderbolt™
Hub Monitor - U4025QW**

- 40 inches/101.60 cm
- Curved IPS Black panel
- WUHD (5120 x 2160), 120 Hz
- Thunderbolt 4 (up to 140W power)
- Ambient light sensor

[Learn More](#)





UltraSharp curved monitors

Curved monitors offer reduced eye movement across the screen for a more immersive experience.



**Dell UltraSharp 38 Curved
USB-C Hub Monitor - U3824DW**

- 37.5 inches/95.29 cm
- Curved IPS Black panel
- WQHD+ (3840 x 1600), 60Hz
- USB-C (up to 90W power)

[Learn More](#)



**NEW
Dell UltraSharp 34 Curved
USB-C Hub Monitor - U3425WE**

- 34.1 inches/86.72 cm
- Curved IPS Black panel
- WQHD (3440 x 1440), 120 Hz
- USB-C (up to 90W power)

[Learn More](#)



	Dell UltraSharp 49 Curved USB-C Hub Monitor - U4924DW	NEW Dell UltraSharp 40 Curved Thunderbolt™ Hub Monitor - U4025QW	Dell UltraSharp 38 Curved USB-C Hub Monitor - U3824DW	NEW Dell UltraSharp 34 Curved USB-C Hub Monitor - U3425WE
VIEWABLE IMAGE SIZE	49 inches/124.46 cm	39.7 inches/100.85 cm	37.52 inches/95.29 cm	34.14 inches/86.72 cm
MAXIMUM RESOLUTION	WQHD+ (5120 x 1440), 60 Hz	WUHD (5120 x 2160), 60Hz	WQHD+ (3840 x 1600), 60Hz	WQHD+ (3440 x 1440), 120 Hz
ASPECT RATIO, CURVED RADIUS	32:9	21:9 - 2500R	21:9	21:9
PANEL TYPE, SURFACE	IPS Black Technology, Anti-Glare with (3H) hard coating	IPS Black Technology, Anti-glare treatment of the front polarizer (3H) hard coating	IPS Black Technology, Anti-glare treatment of the front polarizer (3H) hard coating	IPS Black Technology, Anti-glare treatment of the front polarizer (3H) hard coating
COLOR GAMUT	100% sRGB, DCI-P3 98%, Display P3 98%, REC 709 100% (Delta E<2), 1.07 billion colors	100% sRGB, DCI-P3 98%, Display P3 98%, REC 709 100% (Delta E<2), 1.07 billion colors	100% sRGB, 100% Rec.709, DCI-P3 98%, Display P3 98%, 1.07 billion colors	100% sRGB, DCI-P3 98%, Display P3 98%, DCI-P3, Display P3, sRGB & BT.709: Delta E < 2 (average), 1.07 billion colors
CONNECTIVITY	• 1 x DisplayPort version 1.4 (HDCP2.2) • 2 x HDMI port version 2.1 (HDCP2.2) • 1 x USB Type-C upstream port (video and data) (Alternate mode with DisplayPort 1.4, Power Delivery PD up to 90 W) • 1 x USB-C upstream port (data only, 10 Gbps USB 3.2 Gen2) • 4 x SuperSpeed USB 10 Gbps (USB 3.2 Gen2) TypeA downstream port • 2 x SuperSpeed USB 10 Gbps (USB 3.2 Gen2) TypeC downstream port with charging capability at 15 W (maximum) • 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen2) TypeA with BC1.2 charging capability at 2 A (maximum) • 1 x Audio line-out port • 1 x RJ45 2.5G port	• 1 x DisplayPort version 1.4 (HDCP2.2) • 2 x HDMI port version 2.1 (HDCP2.2) • 1 x Thunderbolt 4 downstream port (15W) • 1 x Thunderbolt 4 upstream port (video and data) (Alternate mode with DisplayPort 1.4, Power Delivery PD up to 140 W) • 1 x USB-C upstream port (data only, 10 Gbps USB 3.2 Gen2) • 3 x SuperSpeed USB 10 Gbps (USB 3.2 Gen2) TypeA downstream port • 2 x SuperSpeed USB 10 Gbps (USB 3.2 Gen2) TypeC downstream port with charging capability at 15 W (maximum) • 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen2) TypeA with BC1.2 charging capability at 2 A (maximum) • 1 x Audio line-out port • 1 x RJ45 2.5G port	• 1 x DP 1.4 (HDCP2.2) (supports up to WQHD+ 3840 x 1600 60 Hz) • 2 x HDMI port (HDCP2.2) (supports up to WQHD+ 3840 x 1600 60 Hz TMDS as per specified in HDMI 2.1) • 1 x USB Type-C upstream port (video and data) (Alternate mode with DisplayPort 1.4, Power Delivery up to 90W) • 1 x USB-C upstream port (data only, 10 Gbps USB 3.2 Gen2) • 4 x Super speed USB 10 Gbps (USB 3.2 Gen2) Type-A downstream port • 2 x Super speed USB 10 Gbps (USB 3.2 Gen2) Type-C downstream port with charging capability at 15W (maximum) • 1 x Super speed USB 10 Gbps (USB 3.2 Gen2) Type-A with BC1.2 charging capability at 2 A (maximum) • 1 x Audio line-out port • 1 x RJ45 2.5G port	• 1 x HDMI port (HDCP1.4 & 2.2) (supports up to WQHD 3440 x 1440 100 Hz TMDS as per specified in HDMI 2.1) • 1 x DP 1.4 (HDCP1.4 & 2.2) (supports up to WQHD 3440 x 1440 120 Hz) • 1 x Thunderbolt™ 4 downstream port (15W) for daisy chaining (Video + Data) • 1 x Thunderbolt™ 4 upstream port (Video + Data). Alternate mode with DisplayPort 1.4, Power Delivery up to 90W • 1 x USB-Type C upstream port (data only) (super speed USB 10Gbps, USB 3.2 Gen2) • 4 x USB Type-A downstream port (super speed USB 10Gbps, USB 3.2 Gen2) • 1 x Audio line-out port • 1 x RJ45 (2.5GbE) port Quick Access: • 1 x USB Type-A downstream port (super speed USB 10Gbps, USB 3.2 Gen2) with BC1.2 power charging • 2 x USB Type-C downstream port (super speed USB 10Gbps, USB 3.2 Gen2) with power charging (15W)
DESIGN FEATURES				
ADJUSTABILITY	Height adjustable (up to 120 mm), Tilt (-5° to 21°), Swivel (-170° to 170°), Slant Adjust (-2° to 2°)	Height adjustable (up to 150mm), Tilt (-5° to 21°), Swivel (-30° to 30°)	Height-adjustable (Up to 120 mm), Tilt (-5° to 21°), Swivel (-30° to 30°), Slant Adjust (-4° to 4°)	Height-adjustable (150 mm), Tilt (-5° to 21°), Swivel (-30° to 30°)
OTHER	Integrated 2 x 9W speakers, Picture-by-Picture, Picture-in-Picture, built-in KVM (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), USB-C connectivity (up to 90W power delivery), TÜV-Certified flicker-free screen with ComfortView Plus, Premium Panel Exchange	Integrated 2 x 9W speakers, Picture-by-Picture, Picture-in-Picture, built-in KVM (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), Thunderbolt 4 connectivity (up to 140W power delivery), TÜV-Certified flicker-free screen with ComfortView, Premium Panel Exchange	Integrated 2 x 9W speakers, Picture-by-Picture, Picture-in-Picture, built-in KVM (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), Thunderbolt™ 3 (up to 90W power delivery), TÜV-Certified flicker-free screen with always-on built-in ComfortView Plus, Premium Panel Exchange	Integrated 2 x 5W speakers, Picture-by-Picture, Picture-in-Picture, built-in KVM (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), Thunderbolt™ 4 (up to 90W power delivery), TÜV Rheinland® 5-star eye comfort certification and Flicker-free, Premium Panel Exchange





UltraSharp monitors

Delivering the ultimate screen performance and user experience through innovation.



Dell UltraSharp 43 4K USB-C Monitor - U4323QE

- 42.5 inches/107.95 cm
- IPS panel
- 4K (3840 x 2160), 60Hz
- Internal MST (iMST)
- USB-C Hub (up to 90W power)

[Learn More](#)



Dell UltraSharp 32 4K USB-C Hub Monitor - U3223QE

- 31.5 inches/80.01 cm
- IPS Black panel
- 4K (3840 x 2160), 60Hz
- USB-C Hub (up to 90W power)

[Learn More](#)



Dell UltraSharp 27 4K USB-C Hub Monitor - U2723QE

- 27 inches/68.47 cm
- IPS Black panel
- 4K (3840 x 2160), 60Hz
- USB-C Hub (up to 90W power)

[Learn More](#)




Dell UltraSharp 43 4K USB-C Monitor - U4323QE		Dell UltraSharp 32 4K USB-C Hub Monitor - U3223QE		Dell UltraSharp 27 4K USB-C Hub Monitor - U2723QE	
VIEWABLE IMAGE SIZE	42.5 inches/107.95 cm	31.5 inches/80.01 cm		27 inches/68.47 cm	
MAXIMUM RESOLUTION	4K (3840 x 2160), 60Hz	4K (3840 x 2160), 60Hz		4K (3840 x 2160), 60Hz	
ASPECT RATIO	16:9	16:9		16:9	
PANEL TYPE, SURFACE	IPS Black technology, Anti-glare treatment of the front polarizer (3H) hard coating	IPS Black technology, Anti-glare treatment of the front polarizer (3H) hard coating		IPS Black technology, Anti-glare treatment of the front polarizer (3H) hard coating	
COLOR GAMUT	95% sRGB, 1.07 billion colors	100% sRGB, 100% Rec. 709 and 98% DCI-P3		100% sRGB, 100% Rec. 709 and 98% DCI-P3	
CONNECTIVITY	• 2 x DisplayPort 1.4 • 2 x HDMI 2.1 (TMDS) • 1 x USB-C (DisplayPort 1,4 HB3 (2lane)/ HBR2 (4 Lane) Power Delivery up to 90W, 2/4 lane switching), USB 3.2 Gen 2 10Gbps) upstream • 3 x USB-C (USB 3.2 Gen2, 10Gbps KVM) Upstream port, Data Only • 3 x super speed USB-A (USB 3.2 Gen2 10Gbps) downstream ports • 1 x super speed USB A (USB 3.2 Gen2 10Gbps) with B.C 1.2 • 1 x USB C (USB 3.2 Gen2 10 Gbps, Up to 15W charging) downstream Quick access port • 1 x Analog 2.0 Audio line-out (3.5mm jack) • 1 x RJ45 Port (PXE boot, MAC address pass thru, WoL, 1Gbps) Quick Access port	• 1 x DisplayPort 1.4 with DSC Support (HDCP 2.2) • 1 x HDMI 2.0 (HDCP 2.2) • 1 x USB-C with DSC support (DisplayPort 1.4, HDCP 2.2) Power Delivery up to 90W, 2/4 Lanes switch-upstream • 1 x USB-C (USB 3.2 Gen 2, 10Gbps KVM) Upstream port, Data Only • 1 x DisplayPort (out), 4 x super speed USB-A (USB 3.2 Gen 2, 10Gbps) downstream ports • 1 x super speed USB-A (USB 3.2 Gen 2, 10Gbps) with B.C 1.2 • 1 x USB-C (USB 3.2 Gen 2, 10Gbps, Up to 15W charging) downstream port • 1 x Analog 2.0 Audio line-out (3.5mm jack) • 1 x RJ45 port		• 1 x DisplayPort 1.4 with DSC Support (HDCP 2.2) • 1 x HDMI 2.0 (HDCP 2.2) • 1 x USB-C with DSC support (DisplayPort 1.4, HDCP 2.2) Power Delivery up to 90W, 2/4 Lanes switch-upstream • 1 x USB-C (USB 3.2 Gen 2, 10Gbps KVM) Upstream port, Data Only • 1 x DisplayPort (out), 4 x super speed USB-A (USB 3.2 Gen 2, 10Gbps) downstream ports • 1 x super speed USB-A (USB 3.2 Gen 2, 10Gbps) with B.C 1.2 • 1 x USB-C (USB 3.2 Gen 2, 10Gbps, Up to 15W charging) downstream port • 1 x Analog 2.0 Audio line-out (3.5mm jack) • 1 x RJ45 port	
DESIGN FEATURES					
ADJUSTABILITY	Height adjustable (up to 60mm), Tilt (-5° to 10°) Swivel (-20° to 20°), Pivot (NA)	Height-adjustable (up to 120 mm), swivel, tilt, pivot (clockwise and counter-clockwise)		Height-adjustable (up to 120 mm), swivel, tilt, pivot (clockwise and counter-clockwise)	
OTHER	ENERGY STAR® Certified Monitor, EPEAT® Gold registered where applicable RoHS Compliant,BFR/PVC Free (Halogen-free) (excluding external cables), Arsenic-Free glass and Mercury-Free for the panel only	InfinityEdge, TÜV-Certified flicker-free screen with ComfortView ⁵ , Premium Panel Exchange		Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible	





UltraSharp monitors

Delivering the ultimate screen performance and user experience through innovation.



Dell UltraSharp 30 USB-C Hub Monitor - U3023E

- 30 inches/75.62 cm
- IPS panel
- WQXGA (2560 x 1600), 60 Hz
- USB-C Hub (up to 90W power)

[Learn More](#)



Dell UltraSharp 27 Thunderbolt™ Hub Monitor - U2724DE

- 27 inches/68.47 cm
- IPS Black panel
- QHD (2560 x 1440), 120 Hz
- Thunderbolt 4 (up to 90W power)
- Ambient light sensor

[Learn More](#)



Dell UltraSharp 24 USB-C Hub Monitor - U2424HE

- 23.8 inches/60.47 cm
- IPS panel
- FHD (1920 x 1080), 120 Hz
- USB-C (up to 90W power)
- Ambient light sensor

[Learn More](#)



[Specifications summary](#)


Dell UltraSharp 30 USB-C Hub Monitor - U3023E		Dell UltraSharp 27 Thunderbolt™ Hub Monitor - U2724DE		Dell UltraSharp 24 USB-C Hub Monitor - U2424HE	
VIEWABLE IMAGE SIZE	30 inches/75.62 cm	27.00 inches/68.47cm		27 inches/68.47 cm	
MAXIMUM RESOLUTION	WQXGA (2560 x 1600), 60 Hz	QHD 2560 x 1440, 120 Hz		FHD (1920 x 1080)	
ASPECT RATIO	16:10	16:9		16:10	
PANEL TYPE, SURFACE	In-Plane Switching (IPS), Anti-glare treatment of the front polarizer (3H) hard coating	IPS Black technology, Anti-glare treatment of the front polarizer (3H) hard coating		In-Plane Switching (IPS), Anti-glare treatment of the front polarizer (3H) hard coating	
COLOR GAMUT	100% sRGB, 95% DCI-P3, Delta E < 2 (Average) for sRGB, 1.07 billion colors	100% sRGB, 100% BT.709, 98% Display P3, 98% DCI-P3, 1.07 billion colors, Delta E < (average) (sEGB, BT.709, Display P3, DCI-P3)		DCI-P3 85%, sRGB 100%, BT.709 100%, 16.7 million colors, sRGB and BT.709: Delta E < 2 (average)	
CONNECTIVITY	• 1 x DP 1.4 (HDCP 1.4) • 1 x HDMI 1.4 (HDCP 1.4) • 1 x USB-C with DSC support (DP 1.4) Power Delivery up to 90W, 2/4 Lanes switch-upstream • 1 x USB-C (USB 3.2 Gen2, 10Gbps) Upstream port • 1 x DP (out) • 3 x super speed USB-A (USB 3.2 Gen 2 10Gbps) downstream ports • 1 x super speed USB-A (USB 3.2 Gen 2 10Gbps) with B.C 1.2 • 1 x USB C (USB 3.2 Gen 2, 10 Gbps, Up to 15W charging) downstream port • 1 x Analog 2.0 Audio line-out (3.5mm jack) • 1 x RJ45 Port	• 1 x DP 1.4 (DRR for Microsoft Windows) (Supports 2 x QHD 120Hz 8 bit) • 1 x DP out • 1 x HDMI (HDCP 1.4)(Supports up to QHD 2560 x 1440 120Hz TMDS, VRR as per specified in HDMI 2.1) • 1 x Thunderbolt™ 4 downstream (15W) only suitable for video output under Daisy Chain • 1 x Thunderbolt™ 4 upstream (Thunderbolt mode and alternate mode with DisplayPort 1.4, USB 3.2 Gen 2 upstream port, Power Delivery (PD) up to 90 W) • 1 x USB-C upstream (Data only, USB 3.2 Gen 2, 10Gbps) • 3 x USB-A (USB 3.2 Gen 2 10Gbps) • 1 x Audio line-out • 1 x RJ45 (2.5GbE) Quick Access: • 1 x USB-A (USB 3.2 Gen 2 10Gbps) with BC 1.2 • 1 x USB-C (USB 3.2 Gen 2 10Gbps, 15W)	• 1 x DisplayPort v. 1.4 (DRR for Microsoft Windows) (HDCP 1.4) (supports up to FHD 1920 x 1080 120 Hz) • 1 x HDMI (HDCP 1.4)(supports up to FHD 1920 x 1080 120Hz as per specified in HDMI 1.4) • 1 x DisplayPort (out) with MST (HDCP 1.4) • 1 x USB Type-C upstream port (video and data) (Alt. mode with DisplayPort 1.4, Power Delivery PD up to 90 W) • 1 x USB Type-C upstream port (data only, 10Gbps USB 3.2 Gen2) • 3 x SuperSpeed USB 10Gbps (USB 3.2 Gen2) downstream ports • 1 x Audio line-out port • 1 x RJ45 port Quick Access: • 1 x USB Type-C downstream port with charging capability at 15 W (maximum) • 1 x SuperSpeed USB 10Gbps (USB 3.2 Gen2) downstream port with BC1.2 charging capability at 2 A (maximum)		
DESIGN FEATURES					
ADJUSTABILITY	Height adjustable (Up to 150 mm) Tilt (-5° to 21°) Swivel (-30° to 30°), Pivot (-90° to 90°)	Height adjustable (150 mm) Tilt (-5° to 21°) Swivel (-45° to 45°) Pivot (-90° to 90°)		Height adjustable (150 mm) Tilt (-5° to 21°) Swivel (-45° to 45°) Pivot (-90° to 90°)	
OTHER	InfinityEdge, TÜV-Certified flicker-free screen with always-on built-in ComfortView Plus, Premium Panel Exchange	InfinityEdge, TÜV-Certified flickerfree screen with always-on built-in improved ComfortView Plus, Premium Panel Exchange		InfinityEdge, TÜV-Certified flickerfree screen with always-on built-in improved ComfortView Plus, Premium Panel Exchange	





UltraSharp monitors

Delivering the ultimate screen performance and user experience through innovation.



Dell UltraSharp 27 Monitor - U2724D

- 27 inches/68.47 cm
- IPS Black panel
- QHD (2560 x 1440), 120 Hz
- Ambient light sensor

[Learn More](#)



Dell UltraSharp 24 Monitor - U2424H

- 23.8 inches/60.47 cm
- IPS panel
- FHD (1920 x 1080), 120 Hz
- Ambient light sensor

[Learn More](#)




Dell UltraSharp 27 Monitor - U2724D		Dell UltraSharp 24 Monitor - U2424H
VIEWABLE IMAGE SIZE	27 inches/68.47 cm	23.8 inches/60.47 cm
MAXIMUM RESOLUTION	QHD 2560 x 1440, 120 Hz	FHD (1920 x 1080), 120 Hz
ASPECT RATIO	16:9	16:9
PANEL TYPE, SURFACE	IPS Black technology, Anti-glare treatment of the front polarizer (3H) hard coating	In-Plane Switching (IPS), Anti-glare treatment of the front polarizer (3H) hard coating
COLOR GAMUT	100% sRGB, 100% Rec. 709 and 98% DCI-P3	100% sRGB colour gamut, 100% Rec 709 colour gamut, 85% DCI-P3
CONNECTIVITY	• 1 x DP 1.4 (HDCP 1.4) • 1 x HDMI 1.4 • 1 x USB-C (USB 3.2 Gen2, 10Gbps) upstream port, data only • 1 x DP (out) • 2 x super speed USB-A (USB 3.2 Gen2, 10Gbps) downstream ports • 1 x super speed USB-A (USB 3.2 Gen2, 10Gbps) with B.C 1.2 • 1 x USB-C (USB 3.2 Gen2, 10Gbps, Up to 15W charging) downstream port • 1 x Analog 2.0 Audio line-out (3.5mm jack)	• 1 x DP 1.4 • 1 x HDMI 1.4 • 1 x DisplayPort (out) with MST • 1 x USB Type-C® upstream port (data only 10Gpbs USB 3.2 Gen2) • 1 x USB Type-C downstream port with charging capability at 15W (max) • 1 x super speed USB 10Gbps with BC1.2 charging capability at 2A (max) • 2 x super speed USB 10Gbps (USB 3.2 Gen2) downstream port • 1 x Audio line-out port
DESIGN FEATURES		
ADJUSTABILITY	Height-adjustable stand (Up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°), Pivot (-90° to 90°)	Height-adjustable stand (Up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°), Pivot (-90° to 90°)
OTHER	InfinityEdge, TÜV-Certified flickerfree screen with always-on built-in improved ComfortView Plus, Premium Panel Exchange	InfinityEdge, TÜV-Certified flicker-free screen with always-on built-in ComfortView Plus, Premium Panel Exchange





Video Conferencing monitors

Collaboration has never been more important. Dell Video Conferencing monitors are designed with teamwork in mind with intelligent features that enhance communication and groupwork.



Impressive image quality

High resolution video conferencing monitors in a variety sizes from the standard 24" to 34" curved ultrawide.



Modern space-saving design

Built-in camera with up to 4K resolution and integrated dual 5W speakers provide high-quality image and crisp sound while helping you keep your workspace clean and less cluttered.



Quick, easy access

Multitasking features as well as easy access display buttons to instantly join meetings.



Video Conferencing monitors

Transform your virtual meeting experience with our range of video conferencing monitors.



Dell UltraSharp 32 6K Monitor - U3224KB

- 31.5 inches/79.94 cm
- IPS Black panel
- 6K resolution
- 4K dual gain HDR webcam
- Thunderbolt 4 (up to 140W power)

[Learn More](#)



Dell UltraSharp 32 4K Video Conferencing Monitor - U3223QZ

- 31.5 inches/80.01 cm
- IPS Black panel
- 4K (3840 x 2160), 60Hz
- 4K HDR webcam
- USB-C Hub (up to 90W power)

[Learn More](#)



Dell 34 Curved Video Conferencing Monitor - P3424WEB

- 34.1 inches/86.71 cm
- WQHD (3440 x 1440), 60Hz
- Ultrawide curved 21:9 monitor
- 2K QHD webcam
- Dual 5W speakers and noise-canceling mic
- World's first 34-inch monitor certified for both Microsoft Teams and Zoom

[Learn More](#)



Dell 27 Video Conferencing Monitor - P2724DEB

- 27 inches/68.47 cm
- QHD (2560 x 1440), 60Hz
- 2K QHD webcam
- Dual 5W speakers and noise-canceling mic
- World's first 27-inch monitor certified for both Microsoft Teams and Zoom

[Learn More](#)





Video Conferencing monitors

Transform your virtual meeting experience with our range of video conferencing monitors.



Dell 24 Video Conferencing Monitor - P2424HEB

- 23.8 inches/60.47 cm
- FHD (1920 x 1080), 60Hz
- 2K QHD webcam
- Dual 5W speakers and noise-canceling mic
- World's first 23.8-inch monitor certified for both Microsoft Teams and Zoom

[Learn More](#)



Dell 24 Video Conferencing Monitor - C2423H

- 23.8 inches/60.47 cm
- FHD (1920 x 1080), 60Hz
- 5MP camera
- Echo cancelling microphone
- Dual 5W speakers

[Learn More](#)



Product availability may vary by country, please refer to the product page on Dell.com for more information.



[Specifications summary](#)



Dell UltraSharp 32 6K Monitor - U3224KB		Dell UltraSharp 32 4K Video Conferencing Monitor - U3223QZ		Dell 34 Curved Video Conferencing Monitor - P3424WEB		Dell 27 Video Conferencing Monitor - P2724DEB		Dell 24 Video Conferencing Monitor - P2424HEB		Dell 24 Video Conferencing Monitor - C2423H	
VIEWABLE IMAGE SIZE	31.5 inches/79.94 cm	31.5 inches/80.01 cm	34.14 inches/86.71cm	27 inches/68.47 cm	23.8 inches/60.47 cm	23.8 inches/60.47 cm					
MAXIMUM RESOLUTION	Max res: 6K (6144 x 3456), 60Hz	4K (3140 x 2160), 60Hz	WQHD (3440 x 1440), 60Hz	QHD (2560 x 1440), 60Hz	FHD (1920 x 1080), 60Hz	FHD (1920 x 1080), 60Hz					
ASPECT RATIO	16:9	16:9	21:9	16:9	16:9	16:9					
PANEL TYPE, SURFACE	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare					
CONNECTIVITY	• 1 x Mini DP 2.1 (HDCP 2.2)(Supports up to 6K 6144 x 3456 60Hz 10bit, HDR) • 1 x HDMI (HDCP 2.2)(Supports up to 6K 6144 x 3456 60Hz 10bit FRL, HDR as per specified in HDMI 2.1) • 1 x Thunderbolt™ 4 upstream (EPR PD 140W) with DSC (Alternate mode with DisplayPort 1.4/1.2, USB 3.2 Gen 2 up-stream port, Power Delivery up to 140W) • 1 x Thunderbolt™ 4 downstream (15W) for video output under daisy chain • 1 x USB-C PD3.1 (Extended Power Range 140W) • 4 x super speed USB 10Gbps (USB 3.2 Gen 2) • 1 x RJ45 (2.5G)	• 1 x DP 1.4 (HDCP 2.2) • 1 x HDMI 2.0 (HDCP 2.2) • 1 x USB Type-C (USB 3.2 Gen 2 up-stream port) • 1 x USB Type-C (Alternate mode with DisplayPort 1.4/1.2, USB 3.2 Gen2 upstream port, Power Delivery up to 90W) • 1 x USB Type-C downstream (15 W), USB 3.2 Gen2 (10Gbps) • 1 x DP (out) with MST • 4 x super speed USB 10Gbps (USB 3.2 Gen2) • 1 x super speed USB 10Gbps (USB 3.2 Gen2) with BC 1.2 charging capability at 2 A (max) • 1 x 3.5 mm headphone jack • 1 x RJ45	• 1 x DisplayPort 1.2 (HDCP 2.2) • 1 x HDMI (HDCP 2.2) • 1 x USB 3.2 Gen1 Type-C (Alt mode with DP 1.2 upstream, up to 90W power delivery) • 1 x USB 3.2 Gen1 Type-B upstream • 2 x USB 3.2 Gen1 Type-A downstream • 1 x USB 3.2 Gen1 Type-C downstream with up to 15W power delivery • 1 x USB 3.2 Gen1 Type-A downstream with BC1.2 (2A max) • 1 x 3.5mm combo headphone with microphone jack • 1 x RJ45	• 1 x DisplayPort 1.4 (HDCP 1.4) • 1 x HDMI (HDCP 1.4) • 1 x USB 3.2 Gen1 Type-C (Alt mode with DP 1.4 upstream, up to 90W power delivery) • 1 x USB 3.2 Gen1 Type-B upstream • 2 x USB 3.2 Gen1 Type-A downstream • 1 x USB 3.2 Gen1 Type-C downstream with up to 15W power delivery • 1 x USB 3.2 Gen1 Type-A downstream with BC1.2 (2A max) • 1 x DP-out with MST • 1 x 3.5mm combo headphone with microphone jack • 1 x RJ45	• 1 x DisplayPort 1.2 (HDCP 1.4) • 1 x HDMI (HDCP 1.4) • 1 x USB 3.2 Gen1 Type-C (Alt mode with DP 1.2 upstream, up to 90W power delivery) • 1 x USB 3.2 Gen1 Type-B upstream • 2 x USB 3.2 Gen1 Type-A downstream • 1 x USB 3.2 Gen1 Type-C downstream with up to 15W power delivery • 1 x USB 3.2 Gen1 Type-A downstream with BC1.2 (2A max) • 1 x DP-out with MST • 1 x 3.5mm combo headphone with microphone jack • 1 x RJ45	• 1 x DisplayPort version 1.2 (HDCP 1.4) • 1 x HDMI port version 1.4 (HDCP 1.4) • 1 x DisplayPort (out) with MST • 1 x USB Type-B (USB3.2 Gen1) upstream port • 2 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) downstream port, with BC1.2 charging capability at 2A (maximum) • 1 x 3.5mm headphone jack					
BUILT-IN CAMERA	• 8 megapixel	• 8 megapixel	• 4 megapixel	• 4 megapixel	• 4 megapixel	• 5 megapixel					
BUILT-IN MICROPHONES	• Dual Array Microphones	• Dual Array Microphones	• 2 x digital microphone	• 2 x digital microphone	• 2 x digital microphone	• 2 x digital microphone					
BUILT-IN SPEAKERS	• 2 x 14W	• 2 x 14W	• 2 x 5W	• 2 x 5W	• 2 x 5W	• 2 x 5W					
DESIGN FEATURES											
ADJUSTABILITY	Height-adjustable stand (up to 160 mm), tilt, swivel, and pivot	Height-adjustable stand (up to 150 mm), tilt, swivel, and pivot	Height-adjustable stand (up to 150 mm), tilt, slant and swivel	Height-adjustable stand (up to 150 mm), tilt, swivel, and pivot	Height-adjustable stand (up to 150 mm), tilt, swivel, and pivot	Height-adjustable stand (up to 150 mm), tilt, swivel, and pivot					



P Series monitors


Perform your best with Dell P Series monitors packed with productivity features for any work style.

Dell P Series Hub Monitors




Connect to productivity

Stay connected, secure and productive with RJ45 for wired Ethernet connectivity. Keep it organized with USB-C providing up to 90W power delivery in a clutter-free setup.




Choose your definition

Select a screen that fits your needs. With options from 19" FHD all the way up to 34" or 4K, you can pick the ideal size and resolution that best fits your tasks.



Comfort is key

Tilt, swivel, pivot and adjust the height of your monitor to customize your workspace. Take it easy on your eyes with Improved ComfortView Plus, a built-in feature that reduces blue light emission to less than 35% without compromising colors.




Color consistency comes as standard

See consistent, vibrant colors across wide viewing angles with In-Plane Switching (IPS) technology, and see up to 1.07 billion displayable colors on an anti-glare screen.



4-star certified monitor for eye comfort

Dell 27 USB-C Hub Monitor
– P2725HE



P2725HE

All-day productivity.
At a whole new level.



Enhanced eye comfort

This monitor achieves TÜV Rheinland® 4-star eye comfort certification — the latest industry standard for eye comfort to help reduce signs of eye fatigue. Benefit from improved ComfortView Plus, a built-in feature that reduces blue light emission to less than 35% while allowing you to see vibrant colors with 99% sRGB coverage, and 100Hz refresh rate that delivers smoother and sharper motion visuals.



Connect to productivity

Streamline your workspace with this USB-C® Hub monitor that wakes your laptop and delivers up to 90W of power. With extensive connectivity options, including RJ45, you can get stable connection to the Ethernet and connect to a host of other devices — all in a clutter free setup.



See your work clearly

With In-Plane Switching (IPS) technology, this monitor offers a wide 178°/178° viewing angle, so you can view your work with consistent color and image quality from virtually any angle. Get deeper blacks and brighter whites with 1500:1 contrast ratio.



NEW
Dell 27 USB-C Hub Monitor
– P2725HE


[Learn More](#)





P Series monitors

Perform your best with Dell P Series monitors, packed with productivity features for any work style.



Dell 34 Curved USB-C Hub Monitor - P3424WE

- 34.14 inches/86.72 cm
- WQHD (3440 x 1440), 60Hz
- USB-C connectivity (up to 90W power delivery)
- Height adjustable stand, Tilt, Swivel

[Learn More](#)



Dell 32 4K USB-C Hub Monitor - P3223QE

- 31.5 inches/80 cm
- 4K (3840 x 2160), 60Hz
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



Dell 27 4K USB-C Hub Monitor - P2723QE

- 26.96 inches/68.47 cm
- 4K (3840 x 2160), 60 Hz
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



Dell 32 USB-C Hub Monitor - P3223DE

- 31.5 inches/80 cm
- QHD (2560 x 1440), 60Hz
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



Dell 27 USB-C Hub Monitor - P2723DE

- 26.96 inches/68.47 cm
- QHD (2560 x 1440), 60 Hz
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)





	Dell 34 Curved USB-C Hub Monitor - P3424WE	Dell 32 4K USB-C Hub Monitor - P3223QE	Dell 27 4K USB-C Hub Monitor - P2723QE	Dell 32 USB-C Hub Monitor - P3223DE	Dell 27 USB-C Hub Monitor - P2723DE
VIEWABLE IMAGE SIZE	34.14 inches/86.72 cm	31.5 inches/80 cm	26.96 inches/68.47 cm	31.5 inches/80 cm	26.96 inches/68.47 cm
MAXIMUM RESOLUTION	WQHD (3440 X 1440), 60Hz	4K UHD (3840 x 2160), 60 Hz	4K UHD (3840 x 2160), 60 Hz	QHD (2560 x 1440), 60 Hz	QHD (2560 x 1440), 60 Hz
ASPECT RATIO	21:9	16:9	16:9	16:9	16:9
PANEL TYPE, SURFACE	In-Plane Switching (IPS) technology, Anti glare	In-Plane Switching (IPS) technology, Anti glare	In-Plane Switching (IPS) technology, Anti glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare
CONNECTIVITY	• 1x HDMI (HDCP 2.3) • 1x DP 1.2 (HDCP 2.3) • 1x RJ45 • 1x USB 3.2 Gen1 Type-C (with up to 90W PD) • 1x USB 3.2 Gen1 Type-B upstream • 4x USB 3.2 Gen1 Type-A downstream	• 1 x HDMI (HDCP 1.4 / 2.2) • 1 x DP 1.4 (HDCP 1.4 / 2.2) • 1 x RJ45 • 1 x USB 3.2 Gen1 Type C (Alt mode with DP1.4, PD of up to 90W) • 2 x USB 3.2 Gen1 Type A downstream • 2 x USB 3.2 Gen1 Type A downstream (bottom QA)	• 1 x HDMI (HDCP 1.4 / 2.3) • 1 x DP 1.4 (HDCP 1.4 / 2.3) • 1 x RJ45 • 1 x USB 3.2 Gen1 Type C (Alt mode with DP1.4, PD of up to 90W) • 2 x USB 3.2 Gen1 Type A downstream • 2 x USB 3.2 Gen1 Type A downstream (bottom QA)	• 1 x HDMI (HDCP 1.4) • 1 x DP 1.2 (HDCP 1.4) • 1 x DP-out • 1 x RJ45 • 1 x USB 3.2 Gen1 Type C (Alt mode with DP1.2, PD of up to 90W) • 2 x USB 3.2 Gen1 Type A downstream • 2 x USB 3.2 Gen1 Type A downstream (bottom QA)	• 1 x HDMI (HDCP 1.4) • 1 x DP 1.2 (HDCP 1.4) • 1 x DP-out • 1 x RJ45 • 1 x USB 3.2 Gen1 Type C (Alt mode with DP1.2, PD of up to 90W) • 2 x USB 3.2 Gen1 Type A downstream • 2 x USB 3.2 Gen1 Type A downstream (bottom QA)
DESIGN FEATURES					
ADJUSTABILITY	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-30° to 30°), Slant (-4° / 4°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-30° to 30°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand up to (150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)
OTHER	KVM, PBP / PIP, TÜV-certified ComfortView Plus and Flicker-free.	DPBS, TÜV-certified ComfortView Plus and Flicker-free.	DPBS, TÜV-certified ComfortView Plus and Flicker-free.	MST, DPBS, TÜV-certified ComfortView Plus and Flicker-free.	MST, DPBS, TÜV-certified ComfortView Plus and Flicker-free.



P Series monitors

Perform your best with Dell P Series monitors, packed with productivity features for any work style.



Dell 24 USB-C Hub Monitor
- P2423DE

- 23.8 inches/60.45 cm
- QHD (2560 x 1440), 60 Hz
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



NEW
Dell 27 USB-C Hub Monitor
- P2725HE

- 27 inches/68.60 cm
- FHD (1920 x 1080), 100Hz
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



NEW
Dell 24 USB-C Hub Monitor
- P2425HE

- 23.8 inches/60.47 cm
- FHD (1920 x 1080), 100Hz
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



NEW
Dell 24 USB-C Hub Monitor
- P2425E

- 24.07 inches/61.13 cm
- FHD (1920 x 1200), 100Hz
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



Dell 24 Touch USB-C Hub Monitor
- P2424HT

- 23.8 inches/60.47 cm
- FHD (1920 x 1080), 60Hz
- Touch monitor (up to 10-point)
- USB-C connectivity (up to 90W power delivery)
- Network (RJ-45)
- Articulating stand with tilt, swivel and height adjustability

[Learn More](#)





	Dell 24 USB-C Hub Monitor - P2423DE	NEW Dell 27 USB-C Hub Monitor - P2725HE	NEW Dell 24 USB-C Hub Monitor - P2425HE	NEW Dell 24 USB-C Hub Monitor - P2425E	Dell 24 Touch USB-C Hub Monitor – P2424HT
VIEWABLE IMAGE SIZE	23.8 inches/60.45 cm	27 inches/68.60 cm	23.8 inches/60.47 cm	24.07 inches/61.13 cm	23.8 inches/60.47 cm
MAXIMUM RESOLUTION	QHD (2560 x 1440), 60 Hz	FHD (1920 x 1080), 100 Hz	FHD (1920 x 1080), 100 Hz	FHD (1920 x 1200), 100 Hz	FHD (1920 x 1080), 60Hz
ASPECT RATIO	16:9	16:9	16:10	16:10	16:9
PANEL TYPE, SURFACE	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare
CONNECTIVITY	• 1 x HDMI (HDCP 1.4) • 1 x DP 1.2 (HDCP 1.4) • 1 x DP-out • 1 x RJ45 • 1 x USB 3.2 Gen1 Type C (Alt mode with DP1.2, PD of up to 90W) • 2 x USB 3.2 Gen1 Type A downstream • 2 x USB 3.2 Gen1 Type A downstream (bottom QA)	• 1x HDMI 1.4 (HDCP 1.4) • 1x DP 1.4 (HDCP 1.4) • 1x DP-out (1.4) with MST (HDCP 1.4) • 1x RJ45 • 1x USB 3.2 Gen1 Type-C upstream (Alt. mode with DP1.4) with up to 90W PD • 3x USB 3.2 Gen1 Type-A downstream • 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only)	• 1x HDMI 1.4 (HDCP 1.4) • 1x DP 1.4 (HDCP 1.4) • 1x DP-out (1.4) with MST (HDCP 1.4) • 1x RJ45 • 1x USB 3.2 Gen1 Type-C upstream (Alt. mode with DP1.4) with up to 90W PD • 3x USB 3.2 Gen1 Type-A downstream • 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only)	• 1x HDMI 1.4 (HDCP 1.4) • 1x DP 1.4 (HDCP 1.4) • 1x DP-out (1.4) with MST(HDCP 1.4) • 1x RJ45 • 1x USB 3.2 Gen1 Type-C upstream (Alt. mode with DP1.4) with up to 90W PD • 3x USB 3.2 Gen1 Type-A downstream • 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only)	• 1x HDMI (HDCP 1.4) • 1x DP 1.2 (HDCP 1.4) • 1x RJ45 • 1x Audio line-out (3.5mm jack) • 1x USB 3.2 Gen1 Type-C (with up to 90W PD) • 2x USB 3.2 Gen1 Type-A downstream • 1x USB 3.2 Gen1 Type-C downstream (with up to 15W PD) • 1x USB 3.2 Gen1 Type-A downstream (with BC1.2 up to 10W)
DESIGN FEATURES					
ADJUSTABILITY	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Articulating stand, Swivel (-30° to 30°), Tilt (-5° to 60°), Slant (-4° to 4°), Height adjustable stand (up to 110mm)
OTHER	MST, DPBS, TÜV-certified ComfortView Plus and Flicker-free.	MST, DPBS, TÜV Rheinland® 4-star eye comfort certification and Flicker-free.	MST, DPBS, TÜV Rheinland® 4-star eye comfort certification and Flicker-free.	MST, DPBS, TÜV Rheinland® 4-star eye comfort certification and Flicker-free.	Up to 10-point touch feature, DPBS, TÜV-certified ComfortView Plus and Flicker-free.



P Series monitors

Perform your best with Dell P Series monitors, packed with productivity features for any work style.



NEW
Dell 27 Monitor
- P2725H

- 27 inches/68.60 cm
- FHD (1920 x 1080), 100Hz
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



NEW
Dell 24 Monitor
- P2425H

- 23.8 inches/60.47 cm
- FHD (1920 x 1080), 100Hz
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



NEW
Dell 22 Monitor
- P2225H

- 21.5 inches/54.61 cm
- FHD (1920 x 1080), 100Hz
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



NEW
Dell 24 Monitor
- P2425

- 24.07 inches/61.13 cm
- FHD (1920 x 1200), 100 Hz
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



Product availability may vary by country, please refer to the product page on Dell.com for more information.

[Specifications summary](#)



	NEW Dell 27 Monitor - P2725H	NEW Dell 24 Monitor - P2425H	NEW Dell 22 Monitor - P2225H	NEW Dell 24 Monitor - P2425
VIEWABLE IMAGE SIZE	27 inches/68.60 cm	23.8 inches/60.47 cm	23.5 inches/54.61 cm	24.07 inches/61.13 cm
MAXIMUM RESOLUTION	FHD (1920 x 1080), 100 Hz	FHD (1920 x 1080), 100 Hz	FHD (1920 x 1080), 100 Hz	FHD (1920 x 1200), 100 Hz
ASPECT RATIO	16:9	16:9	16:9	16:10
PANEL TYPE, SURFACE	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare
CONNECTIVITY	• 1x HDMI 1.4 • 1x DP 1.2 (HDCP 1.4) • 1x VGA • 1x USB 3.2 Gen1 Type-B upstream • 3x USB 3.2 Gen1 Type-A downstream • 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only)	• 1x HDMI 1.4 • 1x DP 1.2 (HDCP 1.4) • 1x VGA • 1x USB 3.2 Gen1 Type-B upstream • 3x USB 3.2 Gen1 Type-A downstream • 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only)	• 1x HDMI 1.4 • 1x DP 1.2 (HDCP 1.4) • 1x VGA • 1x USB 3.2 Gen1 Type-B upstream • 3x USB 3.2 Gen1 Type-A downstream • 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only)	• 1x HDMI 1.4 • 1x DP 1.2 (HDCP 1.4) • 1x VGA • 1x USB 3.2 Gen1 Type-B upstream • 3x USB 3.2 Gen1 Type-A downstream • 1x USB 3.2 Gen1 Type-C downstream with up to 15W PD (data only)
DESIGN FEATURES				
ADJUSTABILITY	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)
OTHER	TÜV Rheinland® 4-star eye comfort certification and Flicker-free.	TÜV Rheinland® 4-star eye comfort certification and Flicker-free.	TÜV Rheinland® 4-star eye comfort certification and Flicker-free.	TÜV Rheinland® 4-star eye comfort certification and Flicker-free.



P Series monitors

Perform your best with Dell P Series monitors, packed with productivity features for any work style.



Dell 27 Monitor
- P2723D

- 26.96 inches/68.47 cm
- QHD (2560 x 1440), 60 Hz
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



Dell 24 Monitor
- P2423D

- 23.8 inches/60.45 cm
- QHD (2560 x 1440), 60 Hz
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



Dell 19 Monitor
- P1917S

- 18.9 inches/48 cm
- SXGA (1280 x 1024), 60Hz
- 5:4 aspect ratio
- Height-adjustable stand, Tilt, Swivel, Pivot

[Learn More](#)



[Specifications summary](#)



	Dell 27 Monitor - P2723D	Dell 24 Monitor - P2423D	Dell 19 Monitor - P1917S
VIEWABLE IMAGE SIZE	26.96 inches/68.47 cm	23.8 inches/60.45 cm	18.9 inches/48 cm
MAXIMUM RESOLUTION	QHD (2560 x 1440), 60 Hz	QHD (2560 x 1440), 60 Hz	SXGA (1280 x 1024), 60Hz
ASPECT RATIO	16:9	16:9	5:4
PANEL TYPE, SURFACE	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare
CONNECTIVITY	• 1 x HDMI (HDCP 1.4) • 1 x DP 1.2 (HDCP 1.4) • 1 x USB 3.2 Gen1 Type B • 2 x USB 3.2 Gen1 Type A downstream • 2 x USB 3.2 Gen1 Type A downstream (bottom QA)	• 1 x HDMI (HDCP 1.4) • 1 x DP 1.2 (HDCP 1.4) • 1 x USB 3.2 Gen1 Type B • 2 x USB 3.2 Gen1 Type A downstream • 2 x USB 3.2 Gen1 Type A downstream (bottom QA)	• 1 x HDMI (HDCP 1.3) • 1 x DP 1.2 (HDCP 1.3) • 1 x VGA • 1 x USB 3.0 Type B • 2 x USB 2.0 Type A downstream • 2 x USB 3.0 Type A downstream (side QA)
DESIGN FEATURES			
ADJUSTABILITY	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 150 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and bi-directional pivot (-90° / 90°)	Height-adjustable stand (up to 130 mm), Tilt (-5° to 21°), Swivel (-45° to 45°) and Pivot (90° clockwise only)
OTHER	TÜV-certified ComfortView Plus and Flicker-free.	TÜV-certified ComfortView Plus and Flicker-free.	TÜV-certified ComfortView Plus and Flicker-free.




E Series monitors

Dell E Series monitors offer a comprehensive suite of affordable, energy-efficient displays with upgraded essentials designed to meet everyday business needs, with no compromise on quality and reliability.



Enhance your workspace

A thinner profile and improved cable management create a smaller footprint, enabling a cleaner, less cluttered desk.



Versatile efficiency

E-Series offers a wide array of monitors, ranging from standard, thin and narrow bezel designs and screen sizes from 17" to 27".



Green thinking, for today and tomorrow

Dell Technologies is committed to reducing environmental impact throughout the product lifecycle. Read more about our commitment to sustainability and our 2030 Social Impact goals [here](#), and our product's carbon footprint [here](#).



E Series monitors

This comprehensive suite of affordable monitors are efficient, reliable and drive productivity, just like you.



Dell 27 Monitor
- E2724HS

- 27 inches/68.60 cm
- FHD (1920 x 1080), 60Hz
- Integrated speakers
- Height-adjustable stand, Tilt

[Learn More](#)



Dell 27 Monitor
- E2723H

- 27 inches/68.60 cm
- FHD (1920 x 1080), 60Hz
- Tilt adjustable

[Learn More](#)



Dell 24 Monitor
- E2424HS

- 23.8 inches/60.47 cm
- FHD (1920 x 1080), 60Hz
- Integrated speakers
- Height-adjustable stand, Tilt

[Learn More](#)



Dell 24 Monitor
- E2423HN

- 23.8 inches/60.47 cm
- FHD (1920 x 1080), 60Hz
- Tilt adjustable

[Learn More](#)





Dell 27 Monitor - E2724HS		Dell 27 Monitor - E2723H	Dell 24 Monitor - E2424HS	Dell 24 Monitor - E2423HN
VIEWABLE IMAGE SIZE	27 inches/68.60 cm	27 inches/68.60 cm	23.8 inches/60.47 cm	23.8 inches/60.47 cm
MAXIMUM RESOLUTION	(1920 x 1080), 60 Hz	(1920 x 1080), 60 Hz	(1920 x 1080), 60 Hz	(1920 x 1080), 60 Hz
ASPECT RATIO	16:9	16:9	16:9	16:9
PANEL TYPE, SURFACE	In-Plane Switching (IPS) technology, Anti-glare	In-Plane Switching (IPS) technology, Anti-glare	VA (Vertical Alignment), Anti-glare	VA (Vertical Alignment), Anti-glare
CONNECTIVITY	• VGA • HDMI • DisplayPort 1.2	• VGA • DisplayPort 1.2	• VGA • HDMI 1.2	• VGA • DisplayPort 1.2
DESIGN FEATURES				
ADJUSTABILITY	Height adjustable and tilt	Tilt only	Height adjustable and tilt	Tilt only
OTHER	Built-in speakers, flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible	Built-in speakers, flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



E Series monitors

This comprehensive suite of affordable monitors are efficient, reliable and drive productivity, just like you.



Dell 24 Monitor
- E2423H

- 23.8 inches/60.47 cm
- FHD (1920 x 1080), 60Hz
- Tilt adjustable

[Learn More](#)



Dell 22 Monitor
- E2222HS

- 21.45 inches/54.48 cm
- FHD (1920 x 1080), 60Hz
- Integrated speakers
- Height-adjustable stand, Tilt

[Learn More](#)



Dell 22 Monitor
- E2223HN

- 21.45 inches/54.48 cm
- FHD (1920 x 1080), 60Hz
- HDMI
- Tilt adjustable

[Learn More](#)



Dell 22 Monitor
- E2223HV

- 21.45 inches/54.48 cm
- FHD (1920 x 1080), 60Hz
- VA Panel
- Tilt adjustable

[Learn More](#)





Dell 24 Monitor - E2423H		Dell 22 Monitor - E2222HS		Dell 22 Monitor - E2223HN		Dell 22 Monitor - E2223HV	
VIEWABLE IMAGE SIZE	23.8 inches/60.47 cm	21.45 inches/54.48 cm		21.45 inches/54.48 cm		21.45 inches/54.48 cm	
MAXIMUM RESOLUTION	(1920 x 1080), 60 Hz	(1920 x 1080), 60 Hz		(1920 x 1080), 60 Hz		(1920 x 1080), 60 Hz	
ASPECT RATIO	16:9	16:9		16:9		16:9	
PANEL TYPE, SURFACE	VA (Vertical Alignment), Anti-glare	VA (Vertical Alignment), Anti-glare		VA (Vertical Alignment), Anti-glare		VA (Vertical Alignment), Anti-glare	
CONNECTIVITY	• VGA • DisplayPort 1.2	• VGA • HDMI • DisplayPort 1.2		• VGA • HDMI 1.4		• VGA • HDMI 1.4	
DESIGN FEATURES							
ADJUSTABILITY	Height-adjustable and tilt	Height-adjustable and tilt		Tilt only		Tilt only	
OTHER	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible, integrated speakers	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible, integrated speakers		Flicker-free screen with ComfortView, VESA® mount compatible		Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible	



E Series monitors

This comprehensive suite of affordable monitors are efficient, reliable and drive productivity, just like you.



Dell 22 Monitor - E2222H

- 21.45 inches/54.48 cm
- FHD (1920 x 1080), 60Hz
- Tilt adjustable

[Learn More](#)



Dell 20 Monitor - E2020H

- 19.5 inches/49.53 cm
- 1600 x 900, 60Hz
- Tilt adjustable

[Learn More](#)



Dell 17 Monitor - E1715S

- 17 inches/43.20 cm
- SXGA (1280 x 1024), 60Hz
- Tilt adjustable

[Learn More](#)





Dell 22 Monitor - E2222H		Dell 20 Monitor - E2020H	Dell 17 Monitor - E1715S
VIEWABLE IMAGE SIZE	21.45 inches/54.48 cm	19.5 inches/49.53 cm	17 inches/43.20 cm
MAXIMUM RESOLUTION	Full HD (1920 x 1080), 60 Hz	1600 x 900, 60Hz	SXGA (1280 x 1024), 60Hz
ASPECT RATIO	16:9	16:9	5:4
PANEL TYPE, SURFACE	VA, Anti-glare	TN (Twisted Nematic), Anti-glare	TN (Twisted Nematic), Anti-glare
CONNECTIVITY	• VGA • DisplayPort 1.2	• VGA • DisplayPort 1.2	• VGA • DisplayPort 1.2
DESIGN FEATURES			
ADJUSTABILITY	Tilt only	Tilt only	Tilt only
OTHER	Flicker-free screen with ComfortView, VESA® mount compatible	Flicker-free screen with ComfortView, VESA® mount compatible	LED power indicator, Image Enhance, PowerNap



Portable monitors

Enjoy greater mobility and seamless connectivity with a portable monitor that instantly extends your screen.



Dell 14 Portable Monitor - P1424H

Experience dual-screen productivity anywhere with this ultralight, ultrathin 14" FHD portable monitor.

VIEWABLE IMAGE SIZE	14 inches/35.56 cm
MAXIMUM RESOLUTION	FHD (1920 x 1080), 60Hz
ASPECT RATIO	16:9
PANEL TYPE, SURFACE	In-Plane Switching (IPS) Technology, Anti-glare
CONNECTIVITY	2 x USB-C Type-C (Alt Mode DP 1.2 HBR)
DESIGN FEATURES	
ADJUSTABILITY	Continuous tilt stand from 10° to 90°



Learn More





Large Format monitors

Captivate your in-room and remote audiences with large format monitors that provide brilliant 4K resolution in a variety of sizes and advanced digital whiteboarding technology.



Impressive screen performance

With 55, 65, 75, or 86-inch 4K interactive touch displays, keep your audience engaged and boost collaboration.



Seamless collaboration

Experience intuitive and effortless collaboration with up to twenty points of interactive touch. The natural and intuitive touch functionality is also compatible with most industry-standard software.



Easy on the eyes

Enjoy reduced blue light emissions thanks to Dell ComfortView which helps optimize eye comfort over extended viewing periods.



Trusted reliability

Enjoy peace of mind with Dell 3-year warranty for Dell hardware.



Large Format monitors

Captivate your in-room and remote audiences with large format monitors that provide brilliant 4K resolution in a variety of sizes and advanced digital whiteboarding technology.



Dell 86 4K Interactive Touch Monitor - P8624QT

- 85.6 inches/217.42 cm
- 4K (3840 x 2160), 60Hz
- Up to 20 points touch
- Built-in dual 20W speakers
- Dell Screen Drop technology

[Learn More](#)



Dell 75 4K Interactive Touch Monitor - P7524QT

- 74.5 inches/189.27 cm
- 4K (3840 x 2160), 60Hz
- Up to 20 points touch
- Built-in dual 20W speakers
- Dell Screen Drop technology

[Learn More](#)



Dell 65 4K Interactive Touch Monitor - P6524QT

- 64.5 inches/163.90 cm
- 4K (3840 x 2160), 60Hz
- Up to 20 points touch
- Built-in dual 20W speakers
- Dell Screen Drop technology

[Learn More](#)



Dell 55 4K Interactive Touch Monitor - P5524QT

- 54.6 inches/138.78 cm
- 4K (3840 x 2160), 60Hz
- Up to 20 points touch
- Built-in dual 10W speakers
- Dell Screen Drop technology

[Learn More](#)



Dell 55 4K Conference Room Monitor - P5524Q

- 54.6 inches/138.68 cm
- 4K (3840 x 2160), 60Hz
- Built-in dual 10W speakers

[Learn More](#)





	Dell 86 4K Interactive Touch Monitor - P8624QT	Dell 75 4K Interactive Touch Monitor - P7524QT	Dell 65 4K Interactive Touch Monitor - P6524QT	Dell 55 4K Interactive Touch Monitor - P5524QT	Dell 55 4K Conference Room Monitor - P5524Q
VIEWABLE IMAGE SIZE	85.6 inches/217.42 cm	74.52 inches/189.27 cm	64.53 inches/163.90 cm	54.64 inches/138.78 cm	54.6 inches/138.68 cm
INTERACTIVE	YES	YES	YES	YES	NO
RESOLUTION	4K (3840 x 2160) @ 60Hz	4K (3840 x 2160), @ 60 Hz	4K (3840 x 2160), @ 60Hz	4K (3840 x 2160), @ 60Hz	4K (3840 x 2160), 60Hz
OPTIPLEX MICRO MOUNTING	via Integrated PC Slot	via Integrated PC slot	via Integrated PC Slot	via Integrated PC Slot	Optional bracket
TOUCH/NON-TOUCH	20 points of touch	20 points of touch	20 points of touch	20 points of touch	N.A
PANEL TYPE	In-Plane Switching Glass	In-Plane Switching Glass	In-Plane Switching Glass	In-Plane Switching Glass	Vertical Alignment
SURFACE	Anti-glare, anti-smudge	Anti-glare, anti-smudge	Anti-glare, anti-smudge	Anti-glare, anti-smudge	Anti-glare with (3H) hard coating
SPEAKERS	Built-in dual 20W	Built-in dual 20W	Built-in dual 20W	Built-in dual 10W	Built-in dual 10W
MOUNT/STAND INCL.	Optional	Optional	Optional	Optional	Optional
CONNECTIVITY	• 1 x DisplayPort 1.2 • 1 x USB Type-C • 3 x HDMI • 3 x USB 3.1 downstream port • 1 x USB 3.1 downstream port with BC 1.2 charging capability • 3 x USB 3.1 upstream port • 1 x Analog 2.0 Audio line-out • 1 x RJ45 • 1 x RS232	• 1 x DisplayPort 1.2 • 1 x VGA • 3 x HDMI • 3 x USB 3.0 downstream port • 1 x USB 3.0 downstream port with USB BC1.2 charging capability • 3 x USB 3.0 upstream port • 1 x Analog 2.0 Audio line-out • 1 x Analog 2.0 Audio line-in • 1 x RJ-45 • 1 x RS232	• 1 x DisplayPort 1.2 • 1 x USB Type-C • 3 x HDMI 2.0 • 3 x USB 3.1 downstream port • 1 x USB 3.1 downstream port with USB BC1.2 charging capability • 3 x USB 3.1 upstream port • 1 x Analog 2.0 Audio line-out • 1 x RJ45 • 1 x RS232	• 1 x DisplayPort 1.2 • 1 x USB Type-C • 3 x HDMI • 3 x USB 3.1 downstream port • 1 x USB 3.1 downstream port with BC 1.2 charging capability • 3 x USB 3.1 upstream port • 1 x Analog 2.0 Audio line-out • 1 x RJ45 • 1 x RS232	• 1 x Audio line-out port • 1 x Audio line-in port • 1 x VGA port • 1 x DisplayPort 1.2 • 2 x HDMI • 1 x USB Dedicated charging port • 2 x USB 3.0 downstream ports • 1 x USB 3.0 upstream port • 1 x RS232 • 1 x RJ45



Dell Video Conferencing Room Solutions

Simplify team collaboration in any meeting space with a validated easy-to-use, group conferencing solution.



Tested & validated

Dell meeting space solutions and large format monitors have been tested and validated by Dell engineers to work out of the box.



Easy to deploy, easy to manage

Transform your collaboration experience with a secure, easy-to-manage system, validated with collaboration software. IT can manage the display remotely using a range of tools.



Next-level teamwork

Group collaboration is seamless and intuitive with our interactive touch large format monitors that enable multiple users to write, edit annotate and erase notes simultaneously.



Trusted reliability

Enjoy peace of mind with a Dell 3-year warranty and Dell Tech Support on hand to guide you through all aspects of the setup process.



Designed for small spaces

Enable collaboration & flexibility



Accommodates
Up to 6 people



Suggested viewing distance:
Approx. 8 feet (2.5 m)
from screen to furthest seat



Ideal for small rooms, open meeting spaces, huddle areas, employee lunchrooms and lounges — anywhere where small groups collaborate.

The most common setup in this space is a wall mounted large format monitor, powered by **Dell OptiPlex Micro*** with Logitech Tap Controller and Meetup ConferenceCam.

This meeting space solution also comes configured with Microsoft Teams Room and Zoom Room software solutions, where you can connect and engage with team members both in-office and at home.

[Learn More on Logitech Room Solutions](#)



Dell 55 4K Interactive Touch Monitor - P5524QT

- 54.6 inches/138.78 cm
- 4K (3840 x 2160), 60Hz
- Up to 20 points touch
- Built-in dual 10W speakers
- Dell Screen Drop technology

[Learn More](#)



Dell 55 4K Conference Room Monitor - P5524Q

- 54.6 inches/138.68 cm
- 4K (3840 x 2160), 60Hz
- Built-in dual 10W speakers

[Learn More](#)



Logitech Room Solutions for small spaces



Designed for the way people meet

Logitech conference room devices bring superb resolution, color balance, detail and audio, created for varying collaboration solutions and spaces.

Logitech Tap Controller

Allows users to quickly join and easily host meetings with a 10:1 touch controller featuring an HDMI input for content sharing.


Logitech MeetUp ConferenceCam

This all-in-one HD conference camera features a compact design, extra-wide field of view, motorized wide-angle lens and integrated beamforming audio specifically designed for small rooms. RightSight technology automatically adjusts camera position and zoom so everyone can be seen.



Designed for medium spaces

Experience world-class teamwork



Accommodates
Up to 12 people



Suggested viewing distance:
Approx. 12 feet (3.7 m)
from screen to furthest seat



Ideal for agile scrum meetings, project planning, brainstorming, or ideation sessions where multiple people need to annotate or collaborate in person or remotely.

The most common setup in this space is a wall mounted Dell 65 4K Interactive Touch Monitor (P6524QT), powered by **Dell OptiPlex Micro*** with Logitech Tap Controller and Rally Bar Mini.

This meeting space solution also comes configured with Microsoft Teams Room and Zoom Room software solutions, where you can connect and engage with team members both in-office and at home.



Dell 65 4K Interactive Touch Monitor - P6524QT

- 64.5 inches/163.90 cm
- 4K (3840 x 2160), 60Hz
- Up to 20 points touch
- Built-in dual 20W speakers
- Dell Screen Drop technology

[Learn More](#)



[Learn More on Logitech Room Solutions](#)

Logitech Room Solutions for medium spaces



Designed for the way people meet

Logitech conference room devices bring superb resolution, color balance, detail and audio, created for varying collaboration solutions and spaces.

Logitech Tap Controller

Allows users to quickly join and easily host meetings with a 10:1 touch controller featuring an HDMI input for content sharing.


Logitech Rally Bar Mini

An all-in-one video bar for small to medium meeting rooms. Discover remarkably simple, all-in-one video conferencing with built-in AI technology, brilliant optics and powerful audio.



Designed for large spaces

Connect. Present. Collaborate.



Accommodates
Up to 20 people



Suggested viewing distance:
Approx. 15 feet (4.5 m)
from screen to furthest seat



Ideal for large rooms where executives and teams present, discuss, strategize and collaborate.

The most common setup in this space is a wall mounted Dell 75 4K Interactive Touch Monitor (P7524QT), powered by **Dell OptiPlex Micro*** with Logitech Tap Controller, and Rally Bar.

This meeting space solution also comes configured with Microsoft Teams Room and Zoom Room software solutions, where you can connect and engage with team members both in-office and at home.



Dell 75 4K Interactive Touch Monitor - P7524QT


- 74.5 inches/189.27 cm
- 4K (3840 x 2160), 60Hz
- Up to 20 points touch
- Built-in dual 20W speakers
- Dell Screen Drop technology

[Learn More](#)



[Learn More on Logitech Room Solutions](#)

Logitech Room Solutions for large spaces



Designed for the way people meet

Logitech conference room devices bring superb resolution, color balance, detail and audio, created for varying collaboration solutions and spaces.

Logitech Tap Controller

Allows users to quickly join and easily host meetings with a 10:1 touch controller featuring an HDMI input for content sharing.


Logitech Rally Bar

Premier video bar for medium to large meeting rooms. Discover remarkably simple, all-in-one video conferencing with built-in AI technology, brilliant optics and powerful audio.



Designed for extra large spaces


Easy-to-use. Inclusive. Interactive.



Accommodates
More than 20 people



Suggested viewing distance:
Approx. 18 feet (5.5 m)
from screen to furthest seat



Collaborate seamlessly with teams of all sizes with an extra large interactive monitor that offers exceptional visuals from anywhere in the room thanks to In-Plane Switching (IPS) and monitor scaling technology.

The most common setup in this space is a wall mounted Dell 86 4K Interactive Touch Monitor (P8624QT), powered by **Dell OptiPlex Micro***, with Logitech Tap Controller, Rally Plus ConferenceCam kit with Rally mic, pod and hub.

This meeting space solution also comes configured with Microsoft Teams Room and Zoom Room software, so you can connect and engage with team members both in-office and at home.



Dell 86 4K Interactive Touch Monitor - P8624QT

- 85.6 inches/217.42 cm
- 4K (3840 x 2160), 60Hz
- Up to 20 points touch
- Built-in dual 20W speakers
- Dell Screen Drop technology

[Learn More](#)



[Learn More on Logitech Room Solutions](#)

Logitech Room Solutions for extra large spaces

Designed for the way people meet

Logitech conference room devices bring superb resolution, color balance, detail and audio for a range of collaboration solutions and spaces.

Logitech Tap Controller

Allows users to quickly join and easily host meetings with a 10:1 touch controller featuring an HDMI input for content sharing.

Logitech Rally P+ ConferenceCam kit with Rally mic, pod and hub

Modular video conferencing system for large and extra large rooms. Discover integrated, simple, modular video conferencing with best-in-class optics and audio.



Specifications for OptiPlex 7000 XE Micro

	Microsoft Teams Room	Zoom Room
PROCESSOR	12th Generation Intel Core i7-12700T, 25MB Cache, 12 Cores, 20 Threads, 1.4 GHz to 4.7 GHz, 35W	12th Generation Intel Core i7-12700T, 25MB Cache, 12 Cores, 20 Threads, 1.4 GHz to 4.7 GHz, 35W
CHIPSET	Intel Q670	Intel Q670
GRAPHICS CARD	Intel UHD Graphics 770 with 12th Generation Intel Core i7-12700T	Intel UHD Graphics 770 with 12th Generation Intel Core i7-12700T
OPERATING SYSTEM	Teams Room with Windows 11 IoT Enterprise	Zoom Room with Windows 10 IoT Enterprise LTSC
MEMORY	16GB, 2 x 8GB, DDR4, 3200MHz, dual-channel	16GB, 2 x 8GB, DDR4, 3200MHz, dual-channel
STORAGE	M.2 2230, 256GB, PCIe NVMe Gen3 x4, SSD, Class 35	M.2 2230, 256GB, PCIe NVMe Gen3 x4, SSD, Class 35
SERVICES - PROTECT YOUR PURCHASE	3 years Basic Warranty with Hardware Service on site service after remote diagnosis 3 years ProSupport with Next Business Day on-site service 3 years ProSupport Plus for Client with Next Business Day on-site service	3 years Basic Warranty with Hardware Service on site service after remote diagnosis 3 years ProSupport with Next Business Day on-site service 3 years ProSupport Plus for Client with Next Business Day on-site service
ACCIDENTAL DAMAGE SERVICE	3 years accidental damage service	3 years accidental damage service
PORTS	• Front: 1 USB 3.2 Gen 2 Type-A port with PowerShare 1USB 3.2 Gen 2x2 Type-C port 1 Universal audio jack 1 Re-tasking line out/line in audio port • Rear: 2 DisplayPort 1.4a (HBR2) 2 USB 3.2 Gen 2 Type-A ports 1 USB 3.2 Gen1 Type-A port 1 USB 3,2 Gen1 Type-A port with Smart Power On 1 Optional video port configured for HDMI 2.0b 1 RJ-45 Ethernet port - Power adapter port	• Front: 1 USB 3.2 Gen 2 Type-A port with PowerShare 1USB 3.2 Gen 2x2 Type-C port 1 Universal audio jack 1 Re-tasking line out/line in audio port • Rear: 2 DisplayPort 1.4a (HBR2) 2 USB 3.2 Gen 2 Type-A ports 1 USB 3.2 Gen1 Type-A port 1 USB 3,2 Gen1 Type-A port with Smart Power On 1 Optional video port configured for HDMI 2.0b 1 RJ-45 Ethernet port - Power adapter port
DIMENSIONS & WEIGHT	Height: 7.17in. (182.00mm) Width: 1.42in. (36.00mm) Depth: 7.00in. (178.00mm) Weight: 2.06lbs. (0.94kg)	Height: 7.17in. (182.00mm) Width: 1.42in. (36.00mm) Depth: 7.00in. (178.00mm) Weight: 2.06lbs. (0.94kg)
WIRELESS	Intel® AX211, 2x2 MIMO, 2400Mbps, 2.40GHz/5GHz/6GHz, WiFi 6E (WiFi 802.11ax), Bluetooth® 5.2 with external wireless option	Intel® AX211, 2x2 MIMO, 2400Mbps, 2.40GHz/5GHz/6GHz, WiFi 6E (WiFi 802.11ax), Bluetooth® 5.2 with external wireless option
POWER	130W AC adapter, 4.5mm barrel for 35W	130W AC adapter, 4.5mm barrel for 35W
REGULATORY	- ENERGY STAR qualified configurations available - EPEAT Registered configurations available	- ENERGY STAR qualified configurations available - EPEAT Registered configurations available
OTHERS - HARDWARE SECURITY	- Kensington security-cable slot - Padlock ring - Chasis lock slot support - Chassis intrusion switch - Supply chain tamper alerts - SafeID including Trusted Platform Module (TPM) 2.0 - Smart card keyboard (FIPS) - Microsoft 10 Device Guard and Credential Guard (Enterprise SKU) - Microsoft Windows Bitlocker - Local hard drive data wipe through BIOS (Secure Erase) - Self-encrypting storage drives (Opal, FIPS) - Trusted Platform Module TPM 2.0 - China TPM - Intel Secure Boot - Intel Authenticate	- Kensington security-cable slot - Padlock ring - Chasis lock slot support - Chassis intrusion switch - Supply chain tamper alerts - SafeID including Trusted Platform Module (TPM) 2.0 - Smart card keyboard (FIPS) - Microsoft 10 Device Guard and Credential Guard (Enterprise SKU) - Microsoft Windows Bitlocker - Local hard drive data wipe through BIOS (Secure Erase) - Self-encrypting storage drives (Opal, FIPS) - Trusted Platform Module TPM 2.0 - China TPM - Intel Secure Boot - Intel Authenticate





Dell Video Conferencing Room Solutions Bundles

Transform collaboration in any meeting space with a total conference room solution that includes Microsoft Teams Room, Zoom Room, Logitech Room solutions and Dell Large Format Monitors powered by OptiPlex Micro*.



	Dell Video Conferencing Room Solution for Microsoft Teams Room	Dell Video Conferencing Room Solution for Zoom Room
Small meeting space (up to 6 people)	• Dell 55 4K Conference Room Monitor – P5524Q or Dell 55 4K Interactive Touch Monitor – P5524QT • Dell OptiPlex Micro* • Logitech Tap Touch Controller • Logitech MeetUp ConferenceCam	• Dell 55 4K Conference Room Monitor – P5524Q or Dell 55 4K Interactive Touch Monitor – P5524QT • Dell OptiPlex Micro* • Logitech Tap Touch Controller • Logitech MeetUp ConferenceCam
Medium meeting space (up to 12 people)	• Dell 65 4K Interactive Touch Monitor – P6524QT (single or dual display) • Dell OptiPlex Micro* • Logitech Tap Touch Controller • Logitech Rally Bar Mini	• Dell 65 4K Interactive Touch Monitor – P6524QT (single or dual display) • Dell OptiPlex Micro* • Logitech Tap Touch Controller • Logitech Rally Bar Mini
Large meeting space (up to 20 people)	• Dell 75 4K Interactive Touch Monitor – P7524QT (single or dual display) • Dell OptiPlex Micro* • Logitech Tap Touch Controller • Logitech Rally Bar	• Dell 75 4K Interactive Touch Monitor – P7524QT (single or dual display) • Dell OptiPlex Micro* • Logitech Tap Touch Controller • Logitech Rally Bar
Extra Large meeting space (>20 people)	• Dell 86 4K Interactive Touch Monitor – P8624QT (single or dual display) • Dell OptiPlex Micro* • Logitech Tap Touch Controller • Logitech Rally Plus ConferenceCam with Rally mic, pod and hub	• Dell 86 4K Interactive Touch Monitor – P8624QT (single or dual display) • Dell OptiPlex Micro* • Logitech Tap Touch Controller • Logitech Rally Plus ConferenceCam with Rally mic, pod and hub



Monitor Arms and Stands

Maximize your workspace with arms and stands that fit your Dell monitors perfectly, offering great cable management and a clutter-free desk. Easily snap a monitor into place without screws with Dell Quick Release.

[Browse Dell monitor Arms and Stands](#)

Dell Single Monitor Arm

– MSA20

Attach your monitor to the arm, virtually tool-free. Enjoy flexibility and advanced cable management features in a small footprint.



Dell Dual Monitor Arm

– MDA20

Quickly install this Dell Dual Monitor Arm – MDA20 for a comprehensive monitor and system mounting solution.



Dell Dual Monitor Stand

– MDS19

Optimize your desk space with a small footprint and impressive cable management features. Mount up to two 27" monitors without tools.

[Specifications summary](#)



Dell Single Monitor Arm
– MSA20



Dell Dual Monitor Arm
– MDA20



Dell Dual Monitor Stand
– MDS19

SUPPORTED MONITORS	19" to 38" (monitor mounting only). For PC and monitor mounting, please refer to the compatibility matrix	19" to 27" (monitor mounting only). For PC and monitor mounting, please refer to the compatibility matrix	Up to 27" monitors 4.9-13.2 lbs. (2.2-6.0 kg)
PIVOT	Portrait or landscape	Portrait or landscape	Portrait or landscape
TILT	-35° to +80°	-35° to +80°	-5° to +24°
SWIVEL	Switchable 180° and 360° at base and joint. 180° at monitor	Switchable 180° and 360° at base and joint. 180° at monitor	- 10° to +15° (Individual)
HEIGHT ADJUSTABILITY	10.5" (26.6cm)	10.5" (26.6cm)	5.1" (13.0 cm)
CABLE MANAGEMENT	Cable management slot with cable clips on the upper and lower arms (up to 10 cables)	Cable management slot with cable clips on the upper and lower arms (up to 10 cables)	Cable clips and cable management slot
DEPTH ADJUSTMENT	21.6" (54.8cm)	21.6" (54.8cm)	N/A



Other Accessories

Complete your work setup with the right tools to maximize your work performance. Engineered to work seamlessly with Dell systems, our broad portfolio of PC accessories meets your end-to-end needs, no matter where work takes you.



Keyboard & Mice,
Active Pens



Webcams & Audio



Docks



Cables & Adapters




Arms & Stands



Carrying Cases



Software



Dell Parts
Find Parts and Upgrades for your Dell Computer





Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.

[Learn More](#)



Limited Hardware Warranty

Dell monitors come with a 3-year Limited Hardware Warranty¹. In the event you discover even one bright pixel on these select monitors during the Limited Hardware Warranty period, you will receive a free panel exchange



Premium Panel Exchange

Dell Premium Panel Exchange² allows a free monitor replacement during the Limited Hardware Warranty¹ period even if only one bright pixel is found.



Advanced Exchange Service

Dell monitors comes with a 3-year Advanced Exchange Service³ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty¹.



ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option⁴.

* Source: IDC Worldwide Quarterly PC Monitor Tracker, Q2 2023.

¹ For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see <https://www.dell.com/warranty>

² Premium Panel Exchange is only available with Dell UltraSharp, P series and C series video conferencing monitors. In the event you discover even one bright pixel during the Limited Hardware Warranty period, a free monitor exchange is guaranteed. <http://support.dell.com/support/topics/global.aspx/support/kcs/document?docid=414288>

³ Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global

⁴ Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.



Sustainability

Dell Technologies is committed to reducing environmental impact throughout the product lifecycle. Read more about our commitment to sustainability and our 2030 Social Impact goals [here](#), and our product's carbon footprint [here](#).



Eco-conscious packaging

Dell monitors ship in boxes made with 100% renewable content that is also 100% recyclable¹.

Environmental standards

Dell commercial monitors are made with up to 85%² post-consumer recycled plastics. Select commercial monitors are made with 90% recycled aluminum³ and meets the latest environmental standards such as ENERGY STAR®, and TCO Certified Edge, and are EPEAT® Gold⁴ registered.

Energy conservation

Conserve energy when the monitor's not in use with PowerNap⁵, a feature that dims or puts the monitor to sleep when it's not in use.



¹ Applies to all Dell Monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, August 2023.
² Percentage is of total plastic weight in product. Based on internal analysis, October 2022. Applicable to all new commercial monitors (U, P, C series starting CY2021) and E series (starting CY2022).

³ Based on internal analysis, October 2022.
⁴ EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

⁵ Enabled by Dell Display Manager. Feature availability may vary by model, please refer to the product page on [Dell.com](#) for more information.